



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
C	ADDED TWO (2) #10-32 TAPPED HOLES	12/19/94	JG



NOTES: UNLESS OTHERWISE SPECIFIED
 1) ALL DIMENSIONS ARE IN INCHES AND APPLY AFTER PLATING
 2) TOLERANCE: +/- .005 UNLESS OTHERWISE NOTED
 3) MATERIAL: 6061 ALUMINUM
 (4) DOVETAILS TO BE MACHINED FOR SMOOTH, SLIDING FIT OF TWO (2) MATING PARTS
 5) FINISH: ANODIZE, BLACK

STANFORD RESEARCH SYSTEMS, Inc.			
1290-D REAMWOOD AVENUE SUNNYVALE, CA 94089		ASSEMBLY:	
PHONE: (408) 744-9040 FAX: 4087449049 TELEX: 706891 SRS UD		TITLE: RACKMOUNT, DOUBLE	
SIZE C	SRS REF# C	SRS PART# 7-00194-720	REV C
DRAWN BY: LD		SCALE: 2:1	DATE: 7-29-88
		SHEET	1 OF 1


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



- NOTES: 1) ALL DIMENSIONS ARE IN INCHES
2) TOL +/- .010
3) REMOVE ALL SHARP EDGES AND BURRS (GRAINING O.K.)
4) MATERIAL: .125" THICK (8 ga.) ALUMINUM STRIP
5) FINISH: BLACK ANODIZE
6) RUBBER OR METAL STAMP ON THIS PART (LOCATION
OPTIONAL) IN .06 - .12 HIGH CHARACTERS: 7-00676-720.REVO

STANFORD RESEARCH SYSTEMS, Inc.			
1290-D REAMWOOD AVENUE SUNNYVALE, CA 94089 PHONE: (408) 744-9040 FAX: 4087449049 TELEX: 706891 SRS UD		ASSEMBLY: DOUBLE RACK MOUNT	
		TITLE: SAFETY LOCKING PLATE	
DRAWN BY: JG	SIZE C	SRS REF#	REV 0
	SRS PART# 7-00680-720		
SCALE: 2:1		DATE: 12/19/94	SHEET 1 OF 1

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	ADDED NOTE #6	01/20/89	JG



- NOTES:
- ALL DIMENSIONS ARE IN INCHES
 - TOL +/- .010
 - USE MINIMUM RADII ON ALL BENDS
 - MATERIAL: .090 ALUMINUM (11 GA)
 - FINISH: BLACK ANODIZE
 - DO NOT GRAIN, TUMBLE OPTIONAL
 - RUBBER STAMP OR STENCIL ON THIS SURFACE IN .12 -.19 HIGH CHARACTERS: 7-00257-720.REVA

STANFORD RESEARCH SYSTEMS, Inc.			
1290-D REAMWOOD AVENUE SUNNYVALE, CA 94089			
PHONE: (408) 744-9040 FAX: 4087449049 TELEX: 706891 SRS UD			
ASSEMBLY:			
TITLE: RACK MOUNT			
SIZE C	SRS REF#	SRS PART# 7-00257-720	REV A
DRAWN BY: JG		SCALE: 1:1	DATE: 12-21-88
		SHEET	1 OF 1

Use this kit to mount most half-rack sized instruments as two units side-by-side into a standard 19-inch rack. Compatible models include:

CS580, CG635, SR560, SR 570, SR470, SR474, SR630, SR630

DC 205, DG645, DS345, FS725

PS 355/365/370/375, SG380, SG390

Included hardware: 2x Side mounting brackets, 2x Rack handles, 1x Center connecting latch, 1x Safety locking plate, and screws.



Contact info@thinksrs.com to with any questions on compatibility.